

The Beam and Glow Collection is a series of vertical and horizontal light structures that combine vibrant colors with formal abstraction to create an immersive lighting experience.

Inspired by the pure expressions of 'objecthood' found in the Minimal Art movement, the Beam and Glow Collection explores the nature of color, light, scale and context. Each light features an optical-grade resin lens framed by bent aluminum panels that have been anodized or stained with a handapplied finish. The singular line of the lens is echoed in the simple rectangular frame, conjoining clarity of form with a soft and expansive colored light to create an impactful, yet unobtrusive, environment.

The amber and rose lens colors draw inspiration from the diffusion of city lights — each hue has an enveloping depth that is at once soothing and contemplative.



Beam and Glow is available in a variety of sizes and can be wall-mounted, flush-mounted or ceiling-suspended as a double-sided pendant.




Beam fixtures have a deep profile and crisp edges



Glow fixtures have a shallow profile, rounded edges, and more width



Beam 02 Sconce
Designed in 2018
Shown in Anodized Black with Clear Lens
W 4in/10cm x D 4in/10cm x H 26in/66cm



Beam 04 Sconce


W 4in/10cm x D 4in/10cm x H 47.75in/120cm

Beam 06 Sconce

W 4in/10cm x D 4in/10cm x H 69.25in/176cm



Glow 02 Sconce
Designed in 2018
Shown in Anodized Black with Rose Lens
W 7in/18cm x D 3in/8cm x H 26in/66cm




Glow 04 Sconce

W 7in/18cm x D 3in/8cm x H 47.75in/120cm

Glow 06 Sconce

W 7in/18cm x D 3in/8cm x H 69.25in/176cm






Beam 04 Pendant

W 7in/18cm x D 3in/8cm x H 69.25in/176cm

Beam 06 Pendant

W 7in/18cm x D 3in/8cm x H 69.25in/176cm



Glow 04 Pendant

W 7in/18cm x D 3in/8cm x H 69.25in/176cm

Glow 06 Pendant


L 48in/122cm x H 16in/40cm x W 17in/43cm



Beam 04 Pendant and Glow 06 Pendant

MATERIALS & FINISHES

METAL FINISH



MATERIALS & FINISHES

LENS



ILLUMINATION SPECIFICATIONS

Beam 02 Sconce

W 4in/10cm x D 4in/10cm x H 26in/66cm

12W / 800lm / 2400K

Internal TRIAC Dimmable LED Driver (120V)

Remote 0-10V Dimmable LED Driver upon request (120V/240V)

Beam 04 Sconce

W 4in/10cm x D 4in/10cm x H 47.75in/120cm 26W / 1650lm / 2400K Internal TRIAC Dimmable LED Driver (120V) Remote 0-10V Dimmable LED Driver upon request (120V/240V)

Beam 06 Sconce

W 4in/10cm x D 4in/10cm x H 69.25in/176cm 38W / 2450lm / 2400K Internal TRIAC Dimmable LED Driver (120V) Remote 0-10V Dimmable LED Driver upon request (120V/240V)

Glow 02 Sconce

W 7in/18cm x D 3in/8cm x H 26in/66cm 12W / 800lm / 2400K Internal TRIAC Dimmable LED Driver (120V) Remote 0-10V Dimmable LED Driver upon request (120V/240V)

Glow 04 Sconce

W 7in/18cm x D 3in/8cm x H 47.75in/120cm 26W / 1650lm / 2400K Internal TRIAC Dimmable LED Driver (120V) Remote 0-10V Dimmable LED Driver upon request (120V/240V)

Glow 06 Sconce

W 7in/18cm x D 3in/8cm x H 69.25in/176cm 38W / 2450lm / 2400K Internal TRIAC Dimmable LED Driver (120V) Remote 0-10V Dimmable LED Driver upon request (120V/240V)

ILLUMINATION SPECIFICATIONS

Beam 02 Pendant

W 8.5in/21cm x D 4in/10cm x H 26in/66cm 25W / 1600lm / 2400K Internal TRIAC Dimmable LED Driver (120V) Remote 0-10V Dimmable LED Driver upon request (120V/240V)

Beam 04 Pendant

W 8.5in/21cm x D 4in/10cm x H 47.75in/120cm 51W / 3300lm / 2400K Internal TRIAC Dimmable LED Driver (120V) Remote 0-10V Dimmable LED Driver upon request (120V/240V)

Beam 06 Pendant

W 8.5in/21cm x D 4in/10cm x H 69.25in/176cm 76W / 4900lm / 2400K Internal TRIAC Dimmable LED Driver (120V) Remote 0-10V Dimmable LED Driver upon request (120V/240V)

Glow 02 Pendant

W 7in/18cm x D 6.5in/16cm x H 26in/66cm 25W / 1600lm / 2400K Internal TRIAC Dimmable LED Driver (120V) Remote 0-10V Dimmable LED Driver upon request (120V/240V)

Glow 04 Pendant

W 7in/18cm x D 6.5in/17cm x H 47.75in/121cm 51W / 3300lm / 2400K Internal TRIAC Dimmable LED Driver (120V) Remote 0-10V Dimmable LED Driver upon request (120V/240V)

Glow 06 Pendant

W 7in/18cm x D 6.5in/17cm x H 69.25in/176cm 76W / 4900lm / 2400K Internal TRIAC Dimmable LED Driver (120V) Remote 0-10V Dimmable LED Driver upon request (120V/240V)

PELLE

55 Ferris Street, Brooklyn, NY 11231

<u>pelledesigns.com</u>

<u>@pelle_____</u>

CONTACT

sales@pelledesigns.com +1 212 645 2602

SHOWROOM GALLERY

To view work in our Showroom Gallery, please call or email us to schedule an appointment.